

**ORDINANCE**

**CITY OF NEW ORLEANS**

**CITY HALL: \_November 2, 2006  
CALENDAR NO. \_26,294**

**NO. \_\_\_\_\_ MAYOR COUNCIL SERIES**

**BY: COUNCILMEMBERS THOMAS, HEAD, LEWIS**

**AN ORDINANCE** authorizing the City of New Orleans to amend the Building Code (11625 MCS Uniform Building Code) establishing standards for the City of New Orleans by creating a new Chapter entitled “Sustainability”, for new residences to be built so that New Orleans residents and members of the construction industry can utilize advanced construction techniques which result in durable, high-quality homes that are certifiable and encouraged by the City of New Orleans.

Chapter – **SUSTAINABILITY**

**Section I - Housing**

**SECTION A: STANDARD OF SUSTAINABILITY (“SOS”)**

**SECTION 1. Statement of Purpose**

**WHEREAS** in 2005, hundreds of thousands of homes within New Orleans were so severely damaged by Katrina, floods and the failures of the levees that New Orleans has lost more than 50% of its pre-Katrina population.

**WHEREAS** for many years in the future new home construction will be a multi-billion dollar industry in New Orleans.

**WHEREAS** many of the homes in New Orleans were subjected to catastrophic failure mechanisms, e.g. floods and category-3 hurricanes, seldom experienced by most newly constructed U.S. homes.

**WHEREAS** all homes in New Orleans are habitually subjected to failure mechanisms uncommon to most of the US but common here including: unpredictable rain-forest precipitation, subsidence, Formosan termites, and ambient dew-points higher than the middle of the human-comfort range.

**WHEREAS** the building code of New Orleans has not been updated or customized to address local climatic or soil conditions.

**WHEREAS** local climatic and soil conditions can present economic opportunities to lower construction costs and raise performance of buildings.

**WHEREAS** the local building industry has not been retrained or reoriented to most effectively respond to either the old or the new challenges.

**WHEREAS** some homes that are built better than code can be expected to provide lower operating costs, are safer, more comfortable OR more durable.

**WHEREAS** some builders believe that they can construct homes that exceed code and provide all of: lower operating costs, more safety, more comfort AND more durability; and some of these builders would like to a process leading to a certification that truly helps the prospective homeowner value and appreciate the benefits of such homes balanced against their higher, initial, construction cost.

**WHEREAS** the various certifications for homes currently available to builders and homeowners to differentiate these homes do not provide a complete package to assure these benefits and, in particular, do not provide adequate durability whether to the catastrophic challenges to the home or the habitual challenges.

**WHEREAS** new homes built in Europe and Japan are often mortgaged over a 100-year timeline because such homes are built to last much longer than that, while new homes in the U.S. often fail before their initial, 30-year mortgage is paid.

**WHEREAS** homeowners can no longer buy standard homeowners' insurance to cover protection from flooding, mold or poor indoor-air quality.

**WHEREAS** just following Katrina, many thousands of New Orleanians were stranded for most of a week or more in their homes without water, food-refrigeration or air-conditioning and each of these deficiencies lead to extreme hardship and, in some cases, death.

**WHEREAS** one group of New Orleans-based engineers and architects have developed a home-construction approach that addresses all of these issues.

**WHEREAS** many large corporations are gearing up at this time to provide goods and services to New Orleans' construction industry, so better choices now can generate many quality jobs in the future.

**WHEREAS** newly-constructed homes can cost more than 80% of the disposable income earned by a low-income worker during 30 years of employment.

**WHEREAS** New Orleans can lead the nation in this field.

**WHEREAS** since the SOS construction standard will drastically lower energy use in a home, residential energy use is the largest energy sector of the U.S. economy, the U.S. is the nation with the 3<sup>rd</sup> largest population in the world and uses about 25% of all energy used on the planet, wide-scale adoption of this standard can significantly retard the growth of global warming and its predicted effects: rising sea level and increased frequency and strength of major storms.

**Therefore:**

**THE CITY COUNCIL DOES HEREBY ORDANE:** There is a defined need to greatly increase the useful life expectancy of housing structures in the City of New Orleans and to eliminate or substantially reduce the negative physical impacts of climatic conditions and environmental factors or elements which lead to the internal and exterior corrosion of dwellings and the quality of the living space therein.

1 **SECTION 2. Building Code Certification**

2 That the building code of the City of New Orleans will certify that a home is  
3 “Sustainable”.

1 **SECTION 3. Adoption of a Functional Standard**

2 The City of New Orleans does hereby adopt a *functional* Standard of Sustainability as it  
3 relates to Housing. Be it so:

4 “Sustainability is functionally achieved when a dwelling is designed, built and  
5 commissioned to collect, transfer, store and ultimately convert naturally occurring  
6 environmental phenomena into a safe, healthy and comfortable indoor living  
7 environment, within the prescribed human comfort zone for at least 30 generations.

1 **SECTION 4. Definitions:**

2 1. **Collection** of naturally occurring renewable resources includes but is not  
3 limited to air and water, as well as, energy from atmospheric phenomena like  
4 air pressures, wind, rain, and sunshine, and geotechnical resources like  
5 geothermal, spring and river flows. The collection can be for immediate use  
6 or for use at another time during the year. Renewable energy includes, but is

7 not limited to, hydro-electric, photovoltaic solar, solar thermal, geothermal,  
8 biomass, land-fill gas and wind energy.

- 9 2. **Storage** can be on-site involving energy storage systems such as but not  
10 limited to thermal mass, pressure, springs, rotational momentum devices,  
11 electric batteries, cisterns, heated walls, charge potential, temperature and/or  
12 ground coupling or can be off-site utilizing the community's electricity grid.
- 13 3. **Conversion** mechanisms can involve but are not limited to: electricity to  
14 motion, light or heat, and heat and motion to dehumidification.
- 15 4. **Transfer** mechanisms in a home can involve active and passive heat and light  
16 flows needed to enhance comfort and building durability.
- 17 5. A **Safe** home is not susceptible to known catastrophic-failure mechanisms.
  - 18 a. It doesn't burn down (4-hour fire rating; 4-hour fire rating is defined in  
19 accordance with ASTM E119-00a.)
  - 20 b. It doesn't blow away (envelope is capable of withstanding 200 mph  
21 winds)
    - 22 i. provides a safe-room in case of direct hits of a hurricane or  
23 tornado to meet FEMA 320; (Taking Shelter from the Storm:  
24 requiring the shelter to resist a 15 lb, 2"x4" missile propelled  
25 by 250 mph ground-speed tornado,)
    - 26 ii. can withstand the loss of a complete window during a  
27 hurricane without losing a roof, and
    - 28 iii. the external walls meet the FEMA 320 projectile-resistance  
29 standard applied at 200 mph,

- 30 c. The building can withstand flooding without compromising its  
31 durability or the health, safety or comfort of its inhabitants. For  
32 example, currently proposed solutions to this problem include: siting  
33 its lowest living space 30 feet above sea level, providing a dynamic  
34 lifting system in case of a flood or floatation.
- 35 6. A **Healthy** home is not susceptible to known, health-endangering, habitual  
36 failure mechanisms
- 37 a. It is free of pests and pesticides alike
- 38 b. It does not harbor, grow or accumulate
- 39 i. dust mites
- 40 ii. bacteria
- 41 iii. Legionnaire's protozoa
- 42 iv. mold
- 43 v. pollen
- 44 c. Does not emit or accumulate
- 45 i. Formaldehyde
- 46 ii. Urea
- 47 iii. Ozone
- 48 iv. Carbon Monoxide
- 49 d. Ventilation or "fresh air" flows exceed ASHRAE 62.2 Standards by  
50 100%.
- 51 e. Relative Humidity is maintained within 45-55%.

- 52 f. HEPA filtration of (intake) ventilation air is required. A HEPA filter  
53 must remove at least 99.97% of all airborne particles by particle count  
54 at a size of 0.3 microns (which is one-300th the diameter of a human  
55 hair.)
- 56 g. The ventilation system is capable of positively pressurizing the home  
57 to between 2 and 5 Pascals. A Pascal is as unit of pressure, equal to  
58 approximately one hundred-thousandth of an atmosphere (which is  
59 about 14.7 lbs per square inch).
- 60 h. Vacuum cleaning systems exhaust to outside
- 61 i. Exhaust fans are controlled by timers

62 7. A **Comfortable** home means

- 63 a. Temperature and humidity are maintained within the prescribed human  
64 comfort zone (68-78° (Fahrenheit), 45-55% (Relative Humidity)).
- 65 b. Artificial lighting is unnecessary during most day-time use,
- 66 c. Artificial lighting is more than adequate for optimal productivity at  
67 any time, and
- 68 d. Occupants will have independent control of lighting, temperature and  
69 airflows on a room-by-room basis.
- 70 e. Hot and cold potable water are available in more than adequate supply.  
71 Potable Water meets the NSF/ANSI 61 standard. Adequate supply of  
72 water means 100 gallons per day per person. A home is assumed to  
73 have a number of persons equal to one more than the number of its  
74 bedrooms. Hot water is defined as potable water heated to 135

75 degrees F. More than adequate supply of hot water is defined to be 75  
76 gals per day per residence.

- 77 8. A **Durable** home is not susceptible to known building-endangering  
78 catastrophic or habitual, failure mechanisms
- 79 a. Subsidence will not threaten its structure, upright stature (within 5  
80 degrees of exactly level), integrity, or alignment. E.g., no more  
81 distortions of homes which lead to windows that will not close or  
82 components that do not provide for weather-tight exteriors.
  - 83 b. Exterior walls must be designed to withstand rain-forest precipitation:  
84 i.e., ten inches of rain in any month. For example, current building  
85 science recommends either
    - 86 i. pressure-equalized shedding walls or
    - 87 ii. high-moisture capacity external mass walls
  - 88 c. To protect against moisture accumulations in the roof or structures that  
89 support the roof, all impediments to heat or moisture flow shall be  
90 installed to allow moisture to flow from bottom to top and then to  
91 outside.
  - 92 d. Envelope building materials and energy distribution systems are rated  
93 for centuries of normal use without significant degradation.
  - 94 e. The building's components are not susceptible to mold, wood-rotting  
95 fungus or subterranean termites.
  - 96 f. The building's components and design provide for multiple layers of  
97 component failure without resulting in ultimate failure of the building.



98 For example, a minor roof leak is not a problem if it never presents  
99 itself to the homeowner and does not result in degradation of the  
100 structure.

101 g. So that it can withstand gross moisture loading without failure, the  
102 structure shall have ten times the moisture-holding capacity of wood-  
103 framed construction compliant with 2003 IRC

104 h. During the life of every home, some parts need replacement. A home  
105 will not be considered durable, unless the projected average annual  
106 cost of maintenance and replacement of its constituent parts does not  
107 exceed 0.5% of the original construction cost measured in current  
108 dollars.

109 9. A **Well-Constructed** home has been built so that

110 a. All of the above considerations and goals were integrated into its  
111 design by a team of licensed, certified or accredited, building-design  
112 professionals having local expertise in architecture, energy efficiency,  
113 engineering and building science. A building-design professional is  
114 considered to have local expertise if he has actively practiced his  
115 profession for at least five years within 50 miles of the site of  
116 construction. The design considerations of a well constructed home  
117 include but are not limited to

118 i. Orienting the windows and the home

119 ii. Sizing the HVAC system

120 iii. Engineering the HVAC distribution system

- 121                           iv. Engineering the foundation / floatation system
- 122                           v. Engineering the roof's design and support system
- 123                           vi. Specifying flashing details
- 124                           vii. The design benefits from the work of an engineering
- 125                                 professional who integrates the needs of the building to the
- 126                                 resources available in the climate and soils.
- 127                   b. Building materials are chosen to meet the previously mentioned goals.
- 128                   c. Workers and sub-contractors are provided training as needed to meet
- 129                         the goals of the design
- 130                   d. During and at the end of construction, the home is checked for
- 131                         i. **prescriptive requirements** which include but are not limited
- 132                                 to
- 133                                     1. choice and placement of insulation
- 134                                     2. windows
- 135                                     3. HVAC equipment
- 136                                     4. Structural connections
- 137                         ii. **performance requirements** include but are not limited to
- 138                                 measuring the
- 139                                     1. Leakiness of the home
- 140                                     2. Leakiness of the HVAC distribution system
- 141                                     3. Solar gain of the windows
- 142                                     4. Defective heat and moisture flows with thermal
- 143   imaging

- 144 e. Commissioning, which means oversight of construction, is sufficient  
145 to reach the above goals and timed to be unpredictable by the  
146 construction team.
- 147 f. Commissioning is provided by a third-party, certified or licensed,  
148 commissioning agent, (as defined by the USGBC - LEED 2.1), who is  
149 not part of the construction team.

150 10. A home has **Passive Survivability** if during a week that the home is  
151 disconnected from all community utilities,

- 152 a. Food refrigeration is not compromised. Food refrigeration includes  
153 both a refrigerator and freezer. The freezer must be at least 3 cubic  
154 feet. A freezer is capable to protect the food within it if it can sustain  
155 temperature at or below 0 degrees F. The refrigerator must be at least  
156 15 cubic feet. A refrigerator is deemed capable to protect its food if it  
157 can sustain temperature at or below 35 degrees F.
- 158 b. Comfort is not degraded, and
- 159 c. An adequate supply of potable water is more than in storage.

160 11. Just like a typical home, a **Zero Energy Home (ZEH)** is connected to, and  
161 uses energy from, the local electric utility. But unlike typical homes, at times  
162 the ZEH makes enough power to send some back to the utility. Annually, a  
163 ZEH produces enough energy to offset the amount purchased from the utility-  
164 resulting in a net-zero annual energy bill.

165 12. A *Sustainable* home is

- 166 a. "...functionally achieved when a dwelling can collect, transfer, store  
167 and ultimately convert naturally occurring environmental phenomena  
168 into a safe, healthy and comfortable indoor living environment, within  
169 the prescribed human comfort zone,"
- 170 b. A **Zero Energy Home**,
- 171 c. provides **Passive Survivability**,
- 172 d. is **Well-Constructed** and
- 173 e. Designed to be **Durable** for 30 generations (about a thousand years).

1 **SECTION 5.** Responsibility to Provide Documentation

2 The responsibility to provide documentation that this standard has been reached shall fall  
3 upon the developer and/or builder. All sustainable homes shall also conform to the  
4 traditional permitting and inspection requirements of the City of New Orleans building  
5 code prior to issuance of a certificate of occupancy.

**ADOPTED BY THE COUNCIL of the CITY of NEW ORLEANS** \_\_\_\_\_

\_\_\_\_\_  
**PRESIDENT of COUNCIL**

**DELIVERED TO THE MAYOR ON** \_\_\_\_\_

**APPROVED:**

**DISAPPROVED:** \_\_\_\_\_

\_\_\_\_\_  
**MAYOR**

**RETURNED BY THE MAYOR ON** \_\_\_\_\_ **AT** \_\_\_\_\_

\_\_\_\_\_  
**CLERK of COUNCIL**

**YEAS:**

**NAYS:**

**ABSENT:**